



27P2C

27 inch (68.6 cm) LCD MONITOR

Total comfort and connectivity in a 27" Full HD display with USB-C and KVM



3 SIDED
FRAMELESS



ADJUSTABLE
STAND




FLICKER FREE




IPS WIDE VIEW



LOW BLUE MODE



USB HUB



TILT



USB C




Wide viewing angle

Wide Viewing Angle features display color accurately at viewing angles of up to 178°. This way, it does not matter where you choose to view it from, colors will be displayed perfectly.



Full Ergonomics

Feel the comfort! AOC's height, tilt and swivel-adjustable stands help you find the most comfortable and healthy position.



USB-C

Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power delivery. Additionally, the USB 3.1 ensures lightning-fast data transmission, so even transferring a 4K movie can be done in less than one minute.



KVM

Share one single keyboard, mouse and monitor between multiple computers with KVM switch hardware.



Pivot

Thanks to its pivot function, your monitor can be rotated by 180° from landscape into portrait mode, especially useful for desktop publishing.

General

Model name	27P2C
EAN	4038986187336
Product Line	Pro-line
Series	P2
Channel	B2B
Classification	Superhero
Section	Business
Launch date	01-07-2020

Screen

Resolution	1920x1080
Refresh rate	75Hz
Screen size (inch)	27 inch
Screen size (cm)	68.6 cm
Flat / Curved	Flat
Backlight	WLED
Panel Type	IPS
Aspect ratio	16:9
Display Colours	16.7 Million
Panel Colour in Bits	6
sRGB Coverage (%)	100
Adobe RGB Coverage (%)	73
NTSC coverage (%)	72 %
Active Screen Area (WxH) (mm)	597.888 (H) X 336.312(V) mm mm
Pixel Pitch	0.3114
Pixels per Inch	81
Scanning Frequency	"HDMI1.4/DP1.2/USB C : 30 -85KHz (H) HDMI1.4/DP1.2/USB C : 48 -75 Hz (V)"
Response time (GtG)	4 ms
Contrast (static)	1000:1
Contrast (dynamic)	50M:1
Brightness (typical)	250 cd/m ²
Viewing angle (CR10)	178/178 °
Hard Glass	Antiglare + 3H
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

Exterior

Monitor colour	Black
Bezel Type	Borderless
Removable Stand	✓

Ergonomics

Vesa Wallmount	100x100
Tilt	-5~35° °
Swivel	180 °
Pivot	✓
Height Adjust Amount	150mm

Multimedia

Audio Input	Line in
Built-in Speakers	2 W x 2
Audio output	Headphone out (3,5mm)

Connectivity and Multimedia

Signal Input	HDMI 1.4 x 1, DisplayPort 1.2 x 1, USB-C (DP Alt Mode)
USB input	USB 3.2 (Gen1) x 4
USB Hub	✓
USB out ports	4
USB fast charge	✓

What's in the Box?

HDMI cable (m)	1,8 m
DisplayPort Cable (m)	1,8 m
Audio Cable (m)	1,8 m
USB cable	1,8 m
Power Cable C13	1,8 m

Power / Environmental

Powersupply	Internal
Powersource	100 - 240V 50/60Hz
PowerConsumption Standby (Energystar)	0.3 watt
PowerConsumption Off (Energystar)	0.3 watt
EnergyClass	A

Approbations / Regulations

Listed on Energystar Website	✓
TCO	8
Listed on Epeat Website	✓
TUV-GS	✓
CE	✓
FCC	✓
ISO 9241-307 class I	✓
Rohs compliant	✓
Reach compliant	✓

Warranty

Warranty Period	3 Years
-----------------	---------

Dimensions / Weights

Product height (mm)	544.5
Product width (mm)	613.6
Product depth (mm)	200.1
Product Dimensions (incl base) (in)	613.6(W)x(394.5~544.5)(H)x200.1mm
Product Dimensions (excl base) (in)	613.6(W)*369.5(H)*51.1(D)
Carton Dimensions	690(W)*595(H)*160(D) mm
Product Dimensions (incl base) (mm)	613,6*544,5*200,1 mm
Gross Weight (incl package) (kg)	8.4 Kg
Net Weight (excl package) (kg)	5.87 Kg

Texts and USP

Marketing title	27 inch 4 ms IPS HDMI 1.4 x 1, DisplayPort 1.2 x 1, USB-C (DP Alt Mode) USB 3.2 (Gen1) x 4 AdaptiveSync
-----------------	---------------------------------------------------------------------------------------------------------

Features

Sync Technology	AdaptiveSync
Flicker-free	✓
Blue Light Technology	Low blue light
Kensington Lock	✓